

Common name	Subspecies/Population	PopSize	Season	30%	10%	1%	AK	CAN	AmP	AmM	AmA	CP	LAC
Black-necked Stilt	<i>Himantopus mexicanus mexicanus</i> (USA/Canada breeding)	175,000	B,M,W	52,500	17,500	1,750			X	X	X		
Black-necked Stilt	<i>Himantopus mexicanus knudseni</i>	2,100	B,M,W	630	210	21						X	
American Avocet	<i>Recurvirostra americana</i>	450,000	B,M,W	135,000	45,000	4,500			X	X	X		
Black-bellied Plover	<i>Pluvialis squatarola squatarola</i>	262,700	B,M,W	78,810	26,270	2,627	X		X				X
Black-bellied Plover	<i>Pluvialis squatarola cynosurae</i>	100,000	B,M,W	30,000	10,000	1,000		X		X	X		X
American Golden-Plover	<i>Pluvialis dominica</i>	500,000	B,M,W	150,000	50,000	5,000	X	X		X	X		X
Pacific Golden-Plover	<i>Pluvialis fulva</i>	42,500	B,M,W	12,750	4,250	425	X		X			X	
Snowy Plover	<i>Charadrius alexandrinus nivosus</i> (Interior/Gulf Coast)	22,900	B,M	6,870	2,290	229			X	X			X
Snowy Plover	<i>Charadrius alexandrinus nivosus</i> (Pacific Coast)	2,900	B,M,W	870	290	29			X				X
Snowy Plover	<i>Charadrius alexandrinus tenuirostris</i>	450	B	135	45	5				X			X
Snowy Plover	<i>Charadrius alexandrinus nivosus</i> (Interior/Gulf)/ <i>tenuirostris</i>	23,350	W	7,005	2,335	234			X	X			X
Wilson's Plover	<i>Charadrius wilsonia wilsonia</i>	8,600	B,M,W	2,580	860	86					X		X
Common Ringed Plover	<i>Charadrius hiaticula hiaticula</i>	2,000	B	600	200	20		X					
Semipalmated Plover	<i>Charadrius semipalmatus</i>	200,000	B,M,W	60,000	20,000	2,000	X	X	X	X	X		X
Piping Plover	<i>Charadrius melodus melodus</i>	3,600	B,M	1,080	360	36					X		
Piping Plover	<i>Charadrius melodus circumcinctus</i> (Great Lakes)	108	B,M	32	11	1				X			
Piping Plover	<i>Charadrius melodus circumcinctus</i> (Great Plains)	4,700	B,M	1,410	470	47				X			
Piping Plover	<i>Charadrius melodus melodus/circumcinctus</i>	8,408	W	2,522	841	84				X	X		X
Killdeer	<i>Charadrius vociferous vociferous</i>	2,000,000	B	600,000	200,000	20,000		X	X	X	X		X
Mountain Plover	<i>Charadrius montanus</i>	20,000	B,M,W	6,000	2,000	200			X	X			X
American Oystercatcher	<i>Haematopus palliatus palliatus</i> (USA/Canada breeding)	11,000	B,M,W	3,300	1,100	110				X	X		
Black Oystercatcher	<i>Haematopus bachmani</i>	10,000	B,M,W	3,000	1,000	100	X	X	X				X
Spotted Sandpiper	<i>Actitis macularia</i>	660,000	B,M,W	198,000	66,000	6,600	X	X	X	X	X		X
Solitary Sandpiper	<i>Tringa solitaria solitaria</i>	126,000	B	37,800	12,600	1,260		X					
Solitary Sandpiper	<i>Tringa solitaria cinnamomea</i>	63,000	B	18,900	6,300	630	X						
Solitary Sandpiper	<i>Tringa solitaria solitaria/cinnamomea</i>	189,000	M,W	56,700	18,900	1,890	X	X	X	X	X		X
Wandering Tattler	<i>Tringa incana</i>	17,500	B,M,W	5,250	1,750	175	X	X	X			X	X
Greater Yellowlegs	<i>Tringa melanoleuca</i>	137,000	B,M,W	41,100	13,700	1,370	X	X	X	X	X		X
Willet	<i>Tringa semipalmata semipalmata</i>	90,000	B,M	27,000	9,000	900					X		X
Willet	<i>Tringa semipalmata inornata</i>	160,000	B,M	48,000	16,000	1,600			X	X			X
Willet	<i>Tringa semipalmata inornata/semipalmata</i>	250,000	W	75,000	25,000	2,500			X	X	X		X
Lesser Yellowlegs	<i>Tringa flavipes</i>	660,000	B,M,W	198,000	66,000	6,600	X	X	X	X	X		X
Upland Sandpiper	<i>Batramia longicauda</i>	750,000	B,M,W	225,000	75,000	7,500	X	X	X	X	X		X
Whimbrel	<i>Numenius phaeopus hudsonicus</i>	40,000	B,M,W	12,000	4,000	400		X		X	X		X
Whimbrel	<i>Numenius phaeopus rufiventris</i>	40,000	B,M,W	12,000	4,000	400	X	X	X	X			X
Bristle-thighed Curlew	<i>Numenius tahitiensis</i>	10,000	B,M,W	3,000	1,000	100	X					X	
Long-billed Curlew	<i>Numenius americanus</i>	140,000	B,M,W	42,000	14,000	1,400			X	X			X
Hudsonian Godwit	<i>Limosa haemastica</i> (Alaska breeding)	21,000	B,M,W	6,300	2,100	210	X	X		X			X
Hudsonian Godwit	<i>Limosa haemastica</i> (Hudson Bay breeding)	56,000	B,M,W	16,800	5,600	560		X		X	X		X
Bar-tailed Godwit	<i>Limosa lapponica baueri</i>	90,000	B,M,W	27,000	9,000	900	X						
Marbled Godwit	<i>Limosa fedoa fedoa</i> (Plains breeding)	170,000	B,M	51,000	17,000	1,700			X	X			
Marbled Godwit	<i>Limosa fedoa fedoa</i> (Hudson Bay breeding)	2,000	B,M,W	600	200	20		X			X		

Common name	Subspecies/Population	PopSize	Season	30%	10%	1%	AK	CAN	AmP	AmM	AmA	CP	LAC
Marbled Godwit	<i>Limosa fedoa beringiae</i>	2,000	B,M	600	200	20	X		X				
Marbled Godwit	<i>Limosa fedoa beringiae/fedoa</i> (Plains)	172,000	W	51,600	17,200	1,720			X	X			X
Ruddy Turnstone	<i>Arenaria interpres interpres</i> (Alaska)	20,000	B,M,W	6,000	2,000	200	X	X	X			X	X
Ruddy Turnstone	<i>Arenaria interpres morinella</i>	180,000	B,M,W	54,000	18,000	1,800		X		X	X		X
Black Turnstone	<i>Arenaria melanocephala</i>	95,000	B,M,W	28,500	9,500	950	X		X				
Red Knot	<i>Calidris canutus islandica</i>	80,000	B	24,000	8,000	800		X					
Red Knot	<i>Calidris canutus rufa</i>	42,000	B,M,W	12,600	4,200	420		X		X	X		X
Red Knot	<i>Calidris canutus roselarri</i>	17,000	B,M,W	5,100	1,700	170	X		X				X
Surfbird	<i>Calidris virgata</i>	70,000	B,M,W	21,000	7,000	700	X	X	X				X
Stilt Sandpiper	<i>Calidris himantopus</i>	1,243,700	B,M,W	373,110	124,370	12,437	X	X		X	X		X
Sanderling	<i>Calidris alba</i> (USA/Canada)	300,000	B,M,W	90,000	30,000	3,000		X	X	X	X		X
Dunlin	<i>Calidris alpina arctica</i>	500,000	B,M	150,000	50,000	5,000	X						
Dunlin	<i>Calidris alpina pacifica</i>	550,000	B,M,W	165,000	55,000	5,500	X		X				X
Dunlin	<i>Calidris alpina hudsonia</i>	450,000	B,M,W	135,000	45,000	4,500		X		X	X		
Rock Sandpiper	<i>Calidris ptilocnemis ptilocnemis</i>	19,800	B,M,W	5,940	1,980	198	X						
Rock Sandpiper	<i>Calidris ptilocnemis tschuktschorum</i>	50,000	B,M,W	15,000	5,000	500	X		X				
Rock Sandpiper	<i>Calidris ptilocnemis cousei</i>	75,000	B,M,W	22,500	7,500	750	X						
Purple Sandpiper	<i>Calidris maritima maritima/belcheri</i>	25,000	B	7,500	2,500	250		X					
Purple Sandpiper	<i>Calidris maritima maritima/belcheri</i>	25,000	M,W	7,500	2,500	250		X			X		
Baird's Sandpiper	<i>Calidris bairdii</i>	300,000	B,M,W	90,000	30,000	3,000	X	X	X	X	X		X
Least Sandpiper	<i>Calidris minutilla</i>	700,000	B,M,W	210,000	70,000	7,000	X	X	X	X	X		X
White-rumped Sandpiper	<i>Calidris fuscicollis</i>	1,694,000	B,M,W	508,200	169,400	16,940	X	X		X	X		X
Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	56,000	B,M,W	16,800	5,600	560	X	X		X	X		X
Pectoral Sandpiper	<i>Calidris melanotos</i>	1,600,000	B,M,W	480,000	160,000	16,000	X	X	X	X	X		X
Semipalmated Sandpiper	<i>Calidris pusilla</i> (Eastern)	405,000	B	121,500	40,500	4,050		X					
Semipalmated Sandpiper	<i>Calidris pusilla</i> (Central)	405,000	B	121,500	40,500	4,050		X					
Semipalmated Sandpiper	<i>Calidris pusilla</i> (Eastern/Central)	810,000	M	243,000	81,000	8,100				X	X		
Semipalmated Sandpiper	<i>Calidris pusilla</i> (Western)	1,450,000	B,M	435,000	145,000	14,500	X		X				
Semipalmated Sandpiper	<i>Calidris pusilla</i>	2,260,000	W	678,000	226,000	22,600							X
Western Sandpiper	<i>Calidris mauri</i>	3,500,000	B,M,W	1,050,000	350,000	35,000	X		X	X	X		X
Short-billed Dowitcher	<i>Limnodromus griseus griseus/hendersoni</i>	78,000	B,M,W	23,400	7,800	780		X			X		X
Short-billed Dowitcher	<i>Limnodromus griseus caurinus</i>	75,000	B,M,W	22,500	7,500	750	X		X				X
Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	500,000	B,M,W	150,000	50,000	5,000	X	X	X	X	X		X
Wilson's Snipe	<i>Gallinago delicata</i>	2,000,000	B,M,W	600,000	200,000	20,000	X	X	X	X	X		X
Wilson's Phalarope	<i>Phalaropus tricolor</i>	1,500,000	B,M,W	450,000	150,000	15,000			X	X			X
Red-necked Phalarope	<i>Phalaropus lobatus</i> (USA/Canada breeding)	2,500,000	B,M,W	750,000	250,000	25,000	X	X	X	X	X		X
Red Phalarope	<i>Phalaropus fulicaria</i> (USA/Canada breeding)	1,250,000	B,M,W	375,000	125,000	12,500	X	X	X	X	X		X

[illegible]